AUTHOR INDEX

A

Adelstein, R. S. *See* Kawamoto and Adelstein.
Andrews, D. W. *See* Thrift, Andrews, Walter, and Johnson.
Antony, C. *See* Verde, Berrez, Antony, and Karsenti.
Apgar, J. R. Regulation of the antigen-induced F-actin response in rat basophilic leukemia cells by protein kinase C. 1157.
Appel, R. D. *See* Jaconi, Theler, Schlegel, Appel, Wright, and Lew.
Arnold, W. *See* Yuan, Arnold, and Jorgensen.
Arvan, P., and Lee, J. Regulated and constitutive protein targeting can be distinguished by secretory polarity in thyroid epithelial cells. 365.
Arzt, J. *See* McGraw, Pytowski, Arzt, and Ferrone.
Ascoli, C. A., and Maul, G. G. Identification of a novel nuclear domain. 785.
Austen, L. *See* Turley, Austen, Vandeligt, and Clary.

B

Bach, M. *See* Kastner, Bach, and Lührmann.
Baltimore, D. *See* Blau and Baltimore.
Bar-Shavit, R., Sabbah, V., Lampugnani, M. G., Marchisio, P. C., Fenton, J. W., II, Vlodavsky, I., and Dejana, E. An Arg-Gly-Asp sequence within thrombin promotes endothelial cell adhesion. 335.
Beach, D. *See* Dessev, Iovcheva-Dessev, Bischoff, Beach, Ruderman, and Goldman.
Beck, S. *See* Weller, Beck, and Ekblom.
Berrez, J.-M. *See* Verde, Berrez, Antony, and Karsenti.
Bickerstaff, L. E. *See* Meiri, Bickerstaff, and Schwob.
Bischoff, J. R. *See* Dessev, Iovcheva-Dessev, Bischoff, Beach, Ruderman, and Goldman.
Blau, H. M., and Baltimore, D. Differentiation requires continuous regulation. 781.
Bondanza, S. *See* Marchisio, Bondanza, Cremona, Cancedda, and De Luca.
Borst, J. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Bothwell, A. L. M. *See* Su, Waneck, Flavell, and Bothwell.
Bownes, M. *See* Butterworth, Bownes, and Burde.
Bowser, R., and Novick, P. Sec15 protein, an essential component of the exocytotic apparatus, is associated with the plasma membrane and with a soluble 19.5*S* particle. 1117.
Boylan, J. F., and Gudas, L. J. Overexpression of the cellular retinoic acid binding protein-I (CRABP-I) results in a reduction in differentiation specific gene expression in F9 teratocarcinoma cells. 965.
Brinkley, B. R. *See* Tousson, Zeng, Brinkley, and Valdivia.
Brown, S. S. *See* Egelhoff, Brown, and Spudich.
Brown, W. J. *See* Park, Lopez, Cluett, and Brown.
Buczylko, J. *See* Polans, Buczylko, Crabb, and Palczewski.
Burde, V. S. *See* Butterworth, Bownes, and Burde.
Burgoon, M. P., Grumet, M., Mauro, V., Edelman, G. M., and Cunningham, B. A. Structure of the chicken neuron-glia cell adhesion molecule, Ng-CAM: origin of the polypeptides and relation to the Ig superfamily. 1017.
Butterworth, F. M., Bownes, M., and Burde, V. S. Genetically modified yolk proteins precipitate in the adult *Drosophila* fat body. 727.

C

Campbell, K. P. *See* Ohlendieck, Ervasti, Snook, and Campbell.
Cancedda, R. *See* Marchisio, Bondanza, Cremona, Cancedda, and De Luca.
Charbonneau, M. *See* Grandin and Charbonneau.
Chugani, D. C. *See* Kedersha, Heuser, Chugani, and Rome.
Claesson-Welsh, L. *See* Sorkin, Westermark, Heldin, and Claesson-Welsh.
Clark, B. F. C. *See* Coppard, Poulsen, Madsen, Frydenberg, and Clark.
Clarke, L. *See* Polizzi and Clarke.
Clary, C. *See* Turley, Austen, Vandeligt, and Clary.
Clavey, V. *See* Grellier, Rigomier, Clavey, Fruchart, and Schrevel.
Cleveland, D. W. *See* Compton, Yen, and Cleveland.
Cline, K. *See* Payan and Cline.
Cluett, E. B. *See* Park, Lopez, Cluett, and Brown.
Compton, D. A., Yen, T. J., and Cleveland, D. W. Identification of novel centromere/kinetochore-associated proteins using monoclonal antibodies generated against human mitotic chromosome scaffolds. 1083.
Conley, K. *See* Lemmon, Pellicena-Palle, Conley, and Freund.
Connelly, P. S. *See* Tilney, Cooke, Connelly, and Tilney.
Conroy, W. G. *See* Saedi, Conroy, and Lindstrom.
Cooke, T. J. *See* Tilney, Cooke, Connelly, and Tilney.
Cooper, J. A. *See* Dadabay, Patton, Cooper, and Pike.
Coppard, N. J., Poulsen, K., Madsen, H. O., Frydenberg, J., and Clark, B. F. C. 42Sp48 in previtellogenic *Xenopus* oocytes is structurally homologous to EF-1α and may be a stage-specific elongation factor. 237.
Coue, M., Lombillo, V. A., and McIntosh, J. R. Microtubule depolymerization promotes particle and chromosome movement in vitro. 1165.
Coukell, M. B. *See* Milne and Coukell.
Crabb, J. *See* Polans, Buczylko, Crabb, and Palczewski.
Cremona, O. *See* Marchisio, Bondanza, Cremona, Cancedda, and De Luca.
Crosby, J. *See* Franzusoff, Redding, Crosby, Fuller, and Schekman.
Cumsky, M. G. *See* Miller and Cumsky.
Cunningham, B. A. *See* Burgoon, Grumet, Mauro, Edelman, and Cunningham.

D

Dabauvalle, M.-C., Loos, K., Merkert, H., and Scheer, U. Spontaneous assembly of pore complex-containing membranes ("Annulate Lamellae") in *Xenopus* egg extract in the absence of chromatin. 1073.
Dadabay, C. Y., Patton, E., Cooper, J. A., and Pike, L. J. Lack of correlation between changes in polyphosphoinositide levels and actin/gelsolin complexes in A431 cells treated with epidermal growth factor. 1151.
Daston, M. M., and Ratner, N. Expression of P30, a protein with adhesive properties, in schwann cells and neurons of the developing and regenerating peripheral nerve. 1229.
de Brabander, M., Nuydens, R., Ishihara, A., Holifield, B., Jacobson, K., and Geerts, H. Lateral diffusion and retrograde movements of individual cell surface components on single motile cells observed with nanovid microscopy. 111.
Degen, E., and Williams, D. B. Participation of a novel 88-kD protein in the biogenesis of murine class I histocompatibility molecules. 1099.
Dejana, E. *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.
— *See* Lampugnani, Resnati, Dejana, and Marchisio.
Dessev, G., Iovcheva-Dessev, C., Bischoff, J. R., Beach, D., Ruderman, J., and Goldman, R. A complex containing $p34^{cdc2}$ and cyclin B phosphorylates the nuclear lamin and disassembles nuclei of clam oocytes in vitro. 523.
DeSisto, M. *See* Hartwig and DeSisto.
De Luca, M. *See* Marchisio, Bondanza, Cremona, Cancedda, and De Luca.
Donaldson, J. G., Lippincott-Schwartz, J., and Klausner, R. D. Guanine nucleotides modulate the effects of brefeldin A in semipermeable cells: regulation of the association of a 110-kD peripheral membrane protein with the Golgi apparatus. 579.
— *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.

Drenckhahn, D., Engel, K., Höfer, D., Merte, C., Tilney, L., and Tilney, M. Three different actin filament assemblies occur in every hair cell: each contains a specific actin crosslinking protein. 641.
Duc, C. O. *See* Stoeckli, Kuhn, Duc, Ruegg, and Sonderegger.

E

Edelman, G. M. *See* Burgoon, Grumet, Mauro, Edelman, and Cunningham.
Edidin, M., and Stroynowski, I. Differences between the lateral organization of conventional and inositol phospholipid-anchored membrane proteins. A further definition of micrometer scale membrane domains. 1143.
Egelhoff, T. T., Brown, S. S., and Spudich, J. A. Spatial and temporal control of nonmuscle myosin localization: identification of a domain that is necessary for myosin filament disassembly in vivo. 677.
Eichinger, L., Noegel, A. A., and Schleicher, M. Domain structure in actin-binding proteins: expression and functional characterization of truncated severin. 665.
Einstein, R., and Gabel, C. A. Cell- and ligand-specific dephosphorylation of acid hydrolases. Evidence that the mannose 6-phosphatase is controlled by compartmentalization. 81.
Ekblom, P. *See* Mugrauer and Ekblom.
— *See* Weller, Beck, and Ekblom.
Elices, M. M., Urry, L. A., and Hemler, M. E. Receptor functions for the integrin VLA-3: fibronectin, collagen, and laminin binding are differentially influenced by ARG-GLY-ASP peptide and by divalent cations. 169.
Engel, K. *See* Drenckhahn, Engel, Höfer, Merte, Tilney, and Tilney.
Enoch, T., Peter, M., Nurse, P., and Nigg, E. A. $p34^{cdc2}$ acts as a lamin kinase in fission yeast. 797.
Eppenberger, H. M. *See* Schnyder, Gross, Winkler, Eppenberger, and Wallimann.
Ervasti, J. M. *See* Ohlendieck, Ervasti, Snook, and Campbell.
Euteneuer, U. *See* Schliwa, Shimizu, Vale, and Euteneuer.

F

Fay, F. S. *See* Lynch, Fogarty, and Fay.
Feick, P., Foisner, R., and Wiche, G. Immunolocalization and molecular properties of a high molecular weight microtubule-bundling protein (syncolin) from chicken erythrocytes. 689.
Feldman, B. *See* Foisner, Feldman, Sander, and Wiche.
Fenton, J. W., II *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.
Ferrone, C. *See* McGraw, Pytowski, Arzt, and Ferrone.
Figdor, C. G. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Fisher, P. A. *See* Whalen, McConnell, and Fisher.
Flavell, R. A. *See* Su, Waneck, Flavell, and Bothwell.
Fogarty, K. E. *See* Lynch, Fogarty, and Fay.
Foisner, R., Feldman, B., Sander, L., and Wiche, G. Monoclonal antibody mapping of structural and functional plectin epitopes. 397.
— *See* Feick, Foisner, and Wiche.
Franke, W. W. *See* Murray, Krohne, and Franke.
Franzusoff, A., Redding, K., Crosby, J., Fuller, R. S., and Schekman, R. Localization of components involved in protein transport and processing through the yeast Golgi apparatus. 27.
Frazier, W. A. *See* Prater, Plotkin, Jaye, and Frazier.
Freund, C. L. *See* Lemmon, Pellicena-Palle, Conley, and Freund.
Fruchart, J.-C. *See* Grellier, Rigomier, Clavey, Fruchart, and Schrevel.
Frydenberg, J. *See* Coppard, Poulsen, Madsen, Frydenberg, and Clark.
Fuller, R. S. *See* Franzusoff, Redding, Crosby, Fuller, and Schekman.
Furusawa, K. *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Fushimi, K., and Verkman, A. S. Low viscosity in the aqueous domain of cell cytoplasm measured by picosecond polarization microfluorimetry. 719.

G

Gabel, C. A. *See* Einstein and Gabel.
Geerts, H. *See* de Brabander, Nuydens, Ishihara, Holifield, Jacobson, and Geerts.
George, J. K. *See* Giulian, Johnson, Krebs, George, and Tapscott.
Gerstenfeld, L. C., and Landis, W. J. Gene expression and extracellular matrix ultrastructure of a mineralizing chondrocyte cell culture system. 501.
Gillespie, P. G., and Hudspeth, A. J. High-purity isolation of bullfrog hair bundles and subcellular and topological localization of constituent proteins. 625.
Giulian, D., Johnson, B., Krebs, J. F., George, J. K., and Tapscott, M. Microglial mitogens are produced in the developing and injured mammalian brain. 323.
Glickman, J. *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Goda, Y., and Pfeffer, S. R. Identification of a novel, *N*-ethylmaleimide 52-sensitive cytosolic factor required for vesicular transport from endosomes to the *trans*-Golgi network in vitro. 823.
Goldfarb, D. S. *See* Michaud and Goldfarb.
Goldman, R. *See* Dessev, Iovcheva-Dessev, Bischoff, Beach, Ruderman, and Goldman.
Golla, R. *See* Stark, Golla, and Nachmias.
Grandin, N., and Charbonneau, M. Intracellular free calcium oscillates during cell division of *Xenopus* embryos. 711.
Green, K. J. *See* Riddelle, Green, and Jones.
Grellier, P., Rigomier, D., Clavey, V., Fruchart, J.-C., and Schrevel, J. Lipid traffic between high-density lipoproteins and *Plasmodium falciparum* infected red blood cells. 267.
Gross, H. *See* Schnyder, Gross, Winkler, Eppenberger, and Wallimann.
Grumet, M. *See* Burgoon, Grumet, Mauro, Edelman, and Cunningham.
Gudas, L. J. *See* Boylan and Gudas.
Gundersen, D., Orlowski, J., and Rodriguez-Boulan, E. Apical polarity of Na,K-ATPase in retinal pigment epithelium is linked to a reversal of the ankyrin-fodrin submembrane cytoskeleton. 863.

H

Haarer, B. K. *See* Kim, Haarer, and Pringle.
Hagiwara, M. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Hartwig, J. H., and DeSisto, M. The cytoskeleton of the resting human blood platelet: structure of the membrane skeleton and its attachment to actin filaments. 407.
Hayashi, Y. *See* Taniura, Kuo, Hayashi, and Miki.
Heldin, C.-H. *See* Sorkin, Westermark, Heldin, and Claesson-Welsh.
Hemler, M. E. *See* Elices, Urry, and Hemler.
Hendey, B. *See* Marks, Hendey, and Maxfield.
Herman, I. M. *See* Hoock, Newcomb, and Herman.
Heuser, J. E. *See* Kedersha, Heuser, Chugani, and Rome.
Hidaka, H. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Höfer, D. *See* Drenckhahn, Engel, Höfer, Merte, Tilney, and Tilney.
Hogervorst, F. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Holifield, B. *See* de Brabander, Nuydens, Ishihara, Holifield, Jacobson, and Geerts.
Hoock, T. C., Newcomb, P. M., and Herman, I. M. β Actin and its mRNA are localized at the plasma membrane and the regions of moving cytoplasm during the cellular response to injury. 653.
Hudspeth, A. J. *See* Gillespie and Hudspeth.

I

Iovcheva-Dessev, C. *See* Dessev, Iovcheva-Dessev, Bischoff, Beach, Ruderman, and Goldman.
Ishihara, A. *See* de Brabander, Nuydens, Ishihara, Holifield, Jacobson, and Geerts.

J

Jacobson, K. *See* de Brabander, Nuydens, Ishihara, Holifield, Jacobson, and Geerts.
Jaconi, M. E. E., Theler, J. M., Schlegel, W., Appel, R. D., Wright, S. D., and Lew, P. D. Multiple elevations of cytosolic-free Ca^{2+} in human neutrophils: initiation by adherence receptors of the integrin family. 1249.
Jaye, D. *See* Prater, Plotkin, Jaye, and Frazier.
Jessen, K. R. *See* Morgan, Jessen, and Mirsky.
Johnson, A. E. *See* Thrift, Andrews, Walter, and Johnson.
Johnson, B. *See* Giulian, Johnson, Krebs, George, and Tapscott.
Jones, J. C. R. *See* Riddelle, Green, and Jones.
Jorgensen, A. O. *See* Yuan, Arnold, and Jorgensen.

K

Kamiya, R., Kurimoto, E., and Muto, E. Two types of *Chlamydomonas* flagellar mutants missing different components of inner-arm dynein. 441.
Karsenti, E. *See* Verde, Berrez, Antony, and Karsenti.
Kastner, B., Bach, M., and Lührmann, R. Electron microscopy of U4/U6 snRNP reveals a Y-shaped U4 and U6 RNA containing domain protruding from the U4 core RNP. 1065.
Kawamoto, S., and Adelstein, R. S. Chicken nonmuscle myosin heavy chains: differential expression of two mRNAs and evidence for two different polypeptides. 915.
Kedersha, N. L., Heuser, J. E., Chugani, D. C., and Rome, L. H. Vaults. III. Vault ribonucleoprotein particles open into flower-like structures with octagonal symmetry. 225.
Keizer, G. D. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Kelly, R. B. *See* Matsuuchi and Kelly.
Kendall, D. *See* Schoenenberger, Zuk, Kendall, and Matlin.
Kielian, M. *See* Phalen and Kielian.
Kim, H. B., Haarer, B. K., and Pringle, J. R. Cellular morphogenesis in the *Saccharomyces cerevisiae* cell cycle: localization of the *CDC3* gene product and the timing of events at the budding site. 535.
Klausner, R. D. *See* Donaldson, Lippincott-Schwartz, and Klausner.
— *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Kong, Y. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Krebs, J. F. *See* Giulian, Johnson, Krebs, George, and Tapscott.
Kreis, T. E. *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Krohne, G. *See* Murray, Krohne, and Franke.
Krolenko, S. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
Kudrjavtceva, N. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
Kuhn, T. B. *See* Stoeckli, Kuhn, Duc, Ruegg, and Sonderegger.
Kuo, C.-H. *See* Taniura, Kuo, Hayashi, and Miki.
Kurimoto, E. *See* Kamiya, Kurimoto, and Muto.

L

Lampugnani, M. G., Resnati, M., Dejana, E., and Marchisio, P. C. The role of integrins in the maintenance of endothelial monolayer integrity. 479.
— *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.
Landis, W. J. *See* Gerstenfeld and Landis.
Laskey, R. A. *See* Leno and Laskey.
Lawrence, J. B. *See* Xing and Lawrence.
Lazebnik, J. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
Lee, J. *See* Arvan and Lee.
Lemmon, S. K., Pellicena-Palle, A., Conley, K., and Freund, C. L. Sequence of the clathrin heavy chain from *Saccharomyces cerevisiae* and requirement of the COOH terminus for clathrin function. 65.
Leno, G. H., and Laskey, R. A. The nuclear membrane determines the timing of DNA replication in *Xenopus* egg extracts. 557.
Lew, P. D. *See* Jaconi, Theler, Schlegel, Appel, Wright, and Lew.
Liem, R. K. H. *See* Weinstein, Shelanski, and Liem.
Lindstrom, J. *See* Saedi, Conroy, and Lindstrom.
Lippincott-Schwartz, J., Glickman, J., Donaldson, J. G., Robbins, J., Kreis, T. E., Seamon, K. B., Sheetz, M. P., and Klausner, R. D. Forskolin inhibits and reverses the effects of brefeldin A on Golgi morphology by a cAMP-independent mechanism. 567.
— *See* Donaldson, Lippincott-Schwartz, and Klausner.
Liu, C.-C. *See* Zheng, Zychlinsky, Liu, Ojcius, and Young.
Lockerbie, R. O., Miller, V. E., and Pfenninger, K. H. Regulated plasmalemmal expansion in nerve growth cones. 1215.
Lohka, M. J. *See* Vigers and Lohka.
Lombillo, V. A. *See* Coue, Lombillo, and McIntosh.
Loos, K. *See* Dabauvalle, Loos, Merkert, and Scheer.
Lopez, J. M. *See* Park, Lopez, Cluett, and Brown.
Lührmann, R. *See* Kastner, Bach, and Lührmann.
Lynch, M. A. *See* Moore, Swords, Lynch, and Staehelin.
Lynch, R. M., Fogarty, K. E., and Fay, F. S. Modulation of hexokinase association with mitochondria analyzed with quantitative three-dimensional confocal microscopy. 385.

M

McConnell, M. *See* Whalen, McConnell, and Fisher.
McEver, R. P. *See* Moore, Varki, and McEver.
— *See* Patel, Zimmerman, Prescott, McEver, and McIntyre.
McGraw, T. E., Pytowski, B., Arzt, J., and Ferrone, C. Mutagenesis of the human transferrin receptor: two cytoplasmic phenylalanines are required for efficient internalization and a second-site mutation is capable of reverting an internalization-defective phenotype. 853.
McIntosh, J. R. *See* Coue, Lombillo, and McIntosh.
McIntyre, T. M. *See* Patel, Zimmerman, Prescott, McEver, and McIntyre.
Madsen, H. O. *See* Coppard, Poulsen, Madsen, Frydenberg, and Clark.
Maher, P. A. Tissue-dependent regulation of protein tyrosine kinase activity during embryonic development. 955.
Malik, F. *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Marchisio, P. C., Bondanza, S., Cremona, O., Cancedda, R., and De Luca, M. Polarized expression of integrin receptors ($\alpha_6\beta_4$, $\alpha_2\beta_1$, $\alpha_3\beta_1$, and $\alpha_v\beta_5$) and their relationship with the cytoskeleton and basement membrane matrix in cultured human keratinocytes. 761.
— *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.
— *See* Lampugnani, Resnati, Dejana, and Marchisio.
Marks, P. W., Hendey, B., and Maxfield, F. R. Attachment to fibronectin or vitronectin makes human neutrophil migration sensitive to alterations in cytosolic free calcium concentration. 149.
Mathew, T. C. *See* Miller, Mathew, and Toma.
Matlin, K. S. *See* Schoenenberger, Zuk, Kendall, and Matlin.
Matsuuchi, L., and Kelly, R. B. Constitutive and basal secretion from the endocrine cell line, AtT-20. 843.
Maul, G. G. *See* Ascoli and Maul.
Mauro, V. *See* Burgoon, Grumet, Mauro, Edelman, and Cunningham.
Maxfield, F. R. *See* Marks, Hendey, and Maxfield.
Meiri, K. F., Bickerstaff, L. E., and Schwob, J. E. Monoclonal antibodies show that kinase C phosphorylation of GAP-43 during axonogenesis is both spatially and temporally restricted in vivo. 991.
Merkert, H. *See* Dabauvalle, Loos, Merkert, and Scheer.
Merte, C. *See* Drenckhahn, Engel, Höfer, Merte, Tilney, and Tilney.
Michaud, N., and Goldfarb, D. S. Multiple pathways in nuclear transport: the import of U2 snRNP occurs by a novel kinetic pathway. 215.
Miki, N. *See* Taniura, Kuo, Hayashi, and Miki.
Miller, B. R., and Cumsky, M. G. An unusual mitochondrial import pathway for the precursor to yeast cytochrome *c* oxidase subunit Va. 833.

Miller, F. D., Mathew, T. C., and Toma, J. G. Regulation of nerve growth factor receptor gene expression by nerve growth factor in the developing peripheral nervous system. 303.
Miller, S. G., and Moore, H.-P. H. Reconstitution of constitutive secretion using semi-intact cells: regulation by GTP but not calcium. 39.
Miller, V. E. *See* Lockerbie, Miller, and Pfenninger.
Milne, J. L., and Coukell, M. B. A Ca^{2+} transport system associated with the plasma membrane of *Dictyostelium discoideum* is activated by different chemoattractant receptors. 103.
Mirsky, R. *See* Morgan, Jessen, and Mirsky.
Mitchison, T. J. *See* Sawin and Mitchison.
Moore, H.-P. H. *See* Miller and Moore.
Moore, K. L., Varki, A., and McEver, R. P. GMP-140 binds to a glycoprotein receptor on human neutrophils: evidence for a lectin-like interaction. 491.
Moore, P. J., Swords, K. M. M., Lynch, M. A., and Staehelin, L. A. Spatial organization of the assembly pathways of glycoproteins and complex polysaccharides in the golgi apparatus of plants. 589.
Morgan, L., Jessen, K. R., and Mirsky, R. The effects of cAMP on differentiation of cultured Schwann cells: progression from an early phenotype (04^+) to a myelin phenotype (P_0^+, $GFAP^-$, $N\text{-}CAM^-$, $NGF\text{-}receptor^-$) depends on growth inhibition. 457.
Mugrauer, G., and Ekblom, P. Contrasting expression patterns of three members of the *myc* family of protooncogenes in the developing and adult mouse kidney. 13.
Murray, M. T., Krohne, G., and Franke, W. W. Different forms of soluble cytoplasmic mRNA binding proteins and particles in *Xenopus laevis* oocytes and embryos. 1.
Muto, E. *See* Kamiya, Kurimoto, and Muto.

N

Nachmias, V. T. *See* Stark, Golla, and Nachmias.
Nagata, T. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Newcomb, P. M. *See* Hoock, Newcomb, and Herman.
Nigg, E. A. *See* Enoch, Peter, Nurse, and Nigg.
Nikolsky, N. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
Noegel, A. A. *See* Eichinger, Noegel, and Schleicher.
Novick, P. *See* Bowser and Novick.
Nurse, P. *See* Enoch, Peter, Nurse, and Nigg.
Nuydens, R. *See* de Brabander, Nuydens, Ishihara, Holifield, Jacobson, and Geerts.

O

Ohashi, S. *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Ohlendieck, K., Ervasti, J. M., Snook, J. B., and Campbell, K. P. Dystrophin-glycoprotein complex is highly enriched in isolated skeletal muscle sarcolemma. 135.
Ojcius, D. M. *See* Zheng, Zychlinsky, Liu, Ojcius, and Young.
Okuno, M. *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Orlowski, J. *See* Gundersen, Orlowski, and Rodriguez-Boulan.

P

Palczewski, K. *See* Polans, Buczylko, Crabb, and Palczewski.
Park, J. E., Lopez, J. M., Cluett, E. B., and Brown, W. J. Identification of a membrane glycoprotein found primarily in the prelysosomal endosome compartment. 245.
Patel, K. D., Zimmerman, G. A., Prescott, S. M., McEver, R. P., and McIntyre, T. M. Oxygen radicals induce human endothelial cells to express GMP-140 and bind neutrophils. 749.
Patton, E. *See* Dadabay, Patton, Cooper, and Pike.
Payan, L. A., and Cline, K. A stromal protein factor maintains the solubility and insertion competence of an imported thylakoid membrane protein. 603.
Pellicena-Palle, A. *See* Lemmon, Pellicena-Palle, Conley, and Freund.
Persson, R., and Pettersson, R. F. Formation and intracellular transport of a heterodimeric viral spike protein complex. 257.
Peter, M. *See* Enoch, Peter, Nurse, and Nigg.
Pettersson, R. F. *See* Persson and Pettersson.
Pfeffer, S. R. *See* Goda and Pfeffer.
Pfenninger, K. H. *See* Lockerbie, Miller, and Pfenninger.
Phalen, T., and Kielian, M. Cholesterol is required for infection by Semliki Forest virus. 615.
Pike, L. J. *See* Dadabay, Patton, Cooper, and Pike.
Piperno, G., and Ramanis, Z. The proximal portion of *Chlamydomonas* flagella contains a distinct set of inner dynein arms. 701.
Plotkin, J. *See* Prater, Plotkin, Jaye, and Frazier.
Polans, A. S., Buczylko, J., Crabb, J., and Palczewski, K. A photoreceptor calcium binding protein is recognized by autoantibodies obtained from patients with cancer-associated retinopathy. 981.
Polizzi, C., and Clarke, L. The chromatin structure of centromeres from fission yeast: differentiation of the central core that correlates with function. 191.
Poulsen, K. *See* Coppard, Poulsen, Madsen, Frydenberg, and Clark.
Prater, C. A., Plotkin, J., Jaye, D., and Frazier, W. A. The properdin-like type I repeats of human thrombospondin contain a cell attachment site. 1031.
Prescott, S. M. *See* Patel, Zimmerman, Prescott, McEver, and McIntyre.
Pringle, J. R. *See* Kim, Haarer, and Pringle.
Pytowski, B. *See* McGraw, Pytowski, Arzt, and Ferrone.

R

Ramanis, Z. *See* Piperno and Ramanis.
Ratner, N. *See* Daston and Ratner.
Redding, K. *See* Franzusoff, Redding, Crosby, Fuller, and Schekman.
Resnati, M. *See* Lampugnani, Resnati, Dejana, and Marchisio.
Riddelle, K. S., Green, K. J., and Jones, J. C. R. Formation of hemidesmosomes in vitro by a transformed rat bladder cell line. 159.
Rigomier, D. *See* Grellier, Rigomier, Clavey, Fruchart, and Schrevel.
Robbins, J. *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Rodriguez-Boulan, E. *See* Gundersen, Orlowski, and Rodriguez-Boulan.
Rome, L. H. *See* Kedersha, Heuser, Chugani, and Rome.
Ruderman, J. *See* Dessev, Iovcheva-Dessev, Bischoff, Beach, Ruderman, and Goldman.
Ruegg, M. A. *See* Stoeckli, Kuhn, Duc, Ruegg, and Sonderegger.
Rukudin, A., Song, M. J., and Sachs, F. The ultrastructure of patch-clamped membranes: a study using high voltage electron microscopy. 125.

S

Sabbah, V. *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.
Sachs, F. *See* Rukudin, Song, and Sachs.
Saedi, M. S., Conroy, W. G., and Lindstrom, J. Assembly of *Torpedo* acetylcholine receptors in *Xenopus* oocytes. 1007.
Sander, L. *See* Foisner, Feldman, Sander, and Wiche.
Sawin, K. E., and Mitchison, T. J. Mitotic spindle assembly by two different pathways in vitro. 925.
—, and Mitchison, T. J. Poleward microtubule flux in mitotic spindles assembled in vitro. 941.
Scheer, U. *See* Dabauvalle, Loos, Merkert, and Scheer.
Schekman, R. *See* Franzusoff, Redding, Crosby, Fuller, and Schekman.
Schlegel, W. *See* Jaconi, Theler, Schlegel, Appel, Wright, and Lew.
Schleicher, M. *See* Eichinger, Noegel, and Schleicher.
Schliwa, M., Shimizu, T., Vale, R. D., and Euteneuer, U. Nucleotide specificities of anterograde and retrograde organelle transport in *reticulomyxa* are indistinguishable. 1199.

Schnyder, T., Gross, H., Winkler, H., Eppenberger, H. M., and Wallimann, T. Structure of the mitochondrial creatine kinase octamer: high-resolution shadowing and image averaging of single molecules and formation of linear filaments under specific staining conditions. 95.
Schoenenberger, C.-A., Zuk, A., Kendall, D., and Matlin, K. S. Multilayering and loss of apical polarity in MDCK cells transformed with viral K-*ras*. 873.
Schrevel, J. *See* Grellier, Rigomier, Clavey, Fruchart, and Schrevel.
Schwartz, M. A. *See* Tranter, Sugrue, and Schwartz.
Schwob, J. E. *See* Meiri, Bickerstaff, and Schwob.
Seamon, K. B. *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Sheetz, M. P. *See* Lippincott-Schwartz, Glickman, Donaldson, Robbins, Kreis, Seamon, Sheetz, and Klausner.
Shelanski, M. L. *See* Weinstein, Shelanski, and Liem.
Shimizu, T., Furusawa, K., Ohashi, S., Toyoshima, Y. Y., Okuno, M., Malik, F., and Vale, R. D. Nucleotide specificity of the enzymatic and motile activities of dynein, kinesin, and heavy meromyosin. 1189.
— *See* Schliwa, Shimizu, Vale, and Euteneuer.
Snook, J. B. *See* Ohlendieck, Ervasti, Snook, and Campbell.
Soderquist-Mangelsdorf, A. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
Sonderegger, P. *See* Stoeckli, Kuhn, Duc, Ruegg, and Sonderegger.
Song, M. J. *See* Rukudin, Song, and Sachs.
Sorkin, A., Krolenko, S., Kudrjavtceva, N., Lazebnik, J., Teslenko, L., Soderquist-Mangelsdorf, A., and Nikolsky, N. Recycling of epidermal growth factor-receptor complexes in A431 cells: identification of dual pathways. 55.
—, **Westermark, B., Heldin, C.-H., and Claesson-Welch, L.** Effect of receptor kinase inactivation on the rate of internalization and degradation of PDGF and the PDGF β-receptor. 469.
Spudich, J. A. *See* Egelhoff, Brown, and Spudich.
Staehelin, L. A. *See* Moore, Swords, Lynch, and Staehelin.
Stark, F., Golla, R., and Nachmias, V. T. Formation and contraction of a microfilamentous shell in saponin-permeabilized platelets. 903.
Stoeckli, E. T., Kuhn, T. B., Duc, C. O., Ruegg, M. A., and Sonderegger, P. The axonally secreted protein axonin-1 is a potent substratum for neurite growth. 449.
Stroynowski, I. *See* Edidin and Stroynowski.
Su, B., Waneck, G. L., Flavell, R. A., and Bothwell, A. L. M. The glycosyl phosphatidylinositol anchor is critical for Ly-6A/E-mediated T cell activation. 377.
Sugrue, S. P. *See* Tranter, Sugrue, and Schwartz.
Swords, K. M. M. *See* Moore, Swords, Lynch, and Staehelin.

T

Taniura, H., Kuo, C.-H., Hayashi, Y., and Miki, N. Purification and characterization of an 82-kD membrane protein as a neurite outgrowth factor (NOF) binding protein: possible involvement of NOF binding protein in axonal outgrowth in developing retina. 313.
Tapscott, M. *See* Giulian, Johnson, Krebs, George, and Tapscott.
Terasawa, M. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Teslenko, L. *See* Sorkin, Krolenko, Kudrjavtceva, Lazebnik, Teslenko, Soderquist-Mangelsdorf, and Nikolsky.
te Velde, A. A. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Theler, J. M. *See* Jaconi, Theler, Schlegel, Appel, Wright, and Lew.
Thrift, R. N., Andrews, D. W., Walter, P., and Johnson, A. E. A nascent membrane protein is located adjacent to ER membrane proteins throughout its integration and translation. 809.
Tilney, L. *See* Drenckhahn, Engel, Höfer, Merte, Tilney, and Tilney.
Tilney, L. G., Cooke, T. J., Connelly, P. S., and Tilney, M. S. The structure of plasmodesmata as revealed by plasmolysis, detergent extraction, and protease digestion. 739.
Tilney, M. *See* Drenckhahn, Engel, Höfer, Merte, Tilney, and Tilney.
Tilney, M. S. *See* Tilney, Cooke, Connelly, and Tilney.
Toma, J. G. *See* Miller, Mathew, and Toma.
Tousson, A., Zeng, C., Brinkley, B. R., and Valdivia, M. M. Centrophilin: a novel mitotic spindle protein involved in microtubule nucleation. 427.
Toyoshima, Y. Y. *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Tranter, M. P., Sugrue, S. P., and Schwartz, M. A. Binding of actin to liver cell membranes: the state of membrane-bound actin. 891.
Turley, E. A., Austen, L., Vandeligt, K., and Clary, C. Hyaluronan and a cell-associated hyaluronan binding protein regulate the locomotion of ras-transformed cells. 1041.

U

Uchida, C. *See* Usuda, Kong, Hagiwara, Uchida, Terasawa, Nagata, and Hidaka.
Urry, L. A. *See* Elices, Urry, and Hemler.
Usuda, N., Kong, Y., Hagiwara, M., Uchida, C., Terasawa, M., Nagata, T., and Hidaka, H. Differential localization of protein kinase C isozymes in retinal neurons. 1241.

V

Valdivia, M. M. *See* Tousson, Zeng, Brinkley, and Valdivia.
Vale, R. D. *See* Schliwa, Shimizu, Vale, and Euteneuer.
— *See* Shimizu, Furusawa, Ohashi, Toyoshima, Okuno, Malik, and Vale.
Vandeligt, K. *See* Turley, Austen, Vandeligt, and Clary.
van Kooyk, Y., Weder, P., Hogervorst, F., Verhoeven, A. J., van Seventer, G., te Velde, A. A., Borst, J., Keizer, G. D., and Figdor, C. G. Activation of LFA-1 through a Ca^{2+}-dependent epitope stimulates lymphocyte adhesion. 345.
van Seventer, G. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Varki, A. *See* Moore, Varki, and McEver.
Verde, F., Berrez, J.-M., Antony, C., and Karsenti, E. Taxol-induced microtubule asters in mitotic extracts of *Xenopus* eggs: requirement for phosphorylated factors and cytoplasmic dynein. 1177.
Verhoeven, A. J. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Verkman, A. S. *See* Fushimi and Verkman.
Vigers, G. P. A., and Lohka, M. J. A distinct vesicle population targets membranes and pore complexes to the nuclear envelope in *Xenopus* eggs. 545.
Vlodavsky, I. *See* Bar-Shavit, Sabbah, Lampugnani, Marchisio, Fenton, Vlodavsky, and Dejana.

W

Wallimann, T. *See* Schnyder, Gross, Winkler, Eppenberger, and Wallimann.
Walter, P. *See* Thrift, Andrews, Walter, and Johnson.
Waneck, G. L. *See* Su, Waneck, Flavell, and Bothwell.
Warren, G. *See* Woodman and Warren.
Weder, P. *See* van Kooyk, Weder, Hogervorst, Verhoeven, van Seventer, te Velde, Borst, Keizer, and Figdor.
Weinstein, D. E., Shelanski, M. L., and Liem, R. K. H. Suppression by antisense mRNA demonstrates a requirement for the glial fibrillary acidic protein in the formation of stable astrocytic processes in response to neurons. 1205.
Weller, A., Beck, S., and Ekblom, P. Amino acid sequence of mouse tenascin and differential expression of two tenascin isoforms during embryogenesis. 355.
Westermark, B. *See* Sorkin, Westermark, Heldin, and Claesson-Welsh.
Whalen, A. M., McConnell, M., and Fisher, P. A. Developmental regulation of *Drosophila* DNA topoisomerase II. 203.
Wiche, G. *See* Feick, Foisner, and Wiche.
— *See* Foisner, Feldman, Sander, and Wiche.

Williams, D. B. *See* Degen and Williams.
Winkler, H. *See* Schnyder, Gross, Winkler, Eppenberger, and Wallimann.
Woodman, P. G., and Warren, G. Isolation of functional, coated, endocytic vesicles. 1133.
Wright, S. D. *See* Jaconi, Theler, Schlegel, Appel, Wright, and Lew.

X

Xing, Y., and Lawrence, J. B. Preservation of specific RNA distribution within the chromatin-depleted nuclear substructure demonstrated by in situ hybridization coupled with biochemical fractionation. 1055.

Y

Yen, T. J. *See* Compton, Yen, and Cleveland.
Young, J. D.-E *See* Zheng, Zychlinsky, Liu, Ojcius, and Young.
Yuan, S., Arnold, W., and Jorgensen, A. O. Biogenesis of transverse tubules and triads: immunolocalization of the 1,4-dihydropyridine receptor, TS28, and the ryanodine receptor in rabbit skeletal muscle developing in situ. 289.

Z

Zeng, C. *See* Tousson, Zeng, Brinkley, and Valdivia.
Zheng, L. M., Zychlinsky, A., Liu, C.-C., Ojcius, D. M., and Young, J. D.-E Extracellular ATP as a trigger for apoptosis or programmed cell death. 279.
Zimmerman, G. A. *See* Patel, Zimmerman, Prescott, McEver, and McIntyre.
Zuk, A. *See* Schoenenberger, Zuk, Kendall, and Matlin.
Zychlinsky, A. *See* Zheng, Zychlinsky, Liu, Ojcius, and Young.

SUBJECT INDEX VOLUME 112

Acetylcholine
  receptor subunit assembly 112: 1007
Acid
  hydrolase dephosphorylation lysosome serum 112: 81
ACTH
  pituitary cell line secretory mutant 112: 843
Actin
  beta mRNA cytoplasm pericyte injury 112: 653
  binding membrane liver 112: 891
  filament attachment cytoskeleton platelet 112: 407
  filament protein hair cell 112: 641
  gelsolin complex EGF phosphoinositide 112: 1151
  interaction severin functional domain 112: 665
Adhesion
  endothelial cell thrombin 112: 335
  lymphocyte LFA1 antigen calcium epitope 112: 345
  neutrophil oxygen radical GMP140 endothelium 112: 749
  receptor integrin calcium cytosol neutrophil 112: 1249
Ankyrin
  cytoskeleton eye ATPase 112: 863
Annulate
  lamellae Xenopus egg ext chromatin 112: 1073
Antigen
  class I biogenesis protein 112: 1099
  LFA1 calcium epitope lymphocyte adhesion 112: 345
Antisense
  mRNA GFAP astrocyte process neuron 112: 1205
Apical
  membrane polarity ATPase retina 112: 863
  membrane targeting protein epithelium 112: 365
Apoptosis
  DNA fragmentation ATP 112: 279
Arginylglycylaspartate
  peptide integrin VLA3 receptor activity 112: 39
Aster
  taxol mitotic ext Xenopus egg 112: 1177
Astrocyte
  process antisense mRNA GFAP neuron 112: 1205
ATP
  analog cytoskeleton filament motility ATPase 112: 1189
  apoptosis DNA fragmentation 112: 279
ATPase
  apical membrane polarity retina 112: 863
  cytoskeleton filament motility ATP analog 112: 1189
Autoantibody
  cancer assocd retinopathy photoreceptor 112: 981
Axon
  axonin neurite outgrowth embryo 112: 449
Axonin
  axon neurite outgrowth embryo 112: 449
Basement
  membrane epithelium integrin 112: 761
Beta
  actin mRNA cytoplasm pericyte injury 112: 653
Bird
  protein tyrosine kinase embryo 112: 955
Bladder
  rat cell line hemidesmosome formation 112: 159
Blood
  platelet cytoskeleton structure 112: 407
  platelet growth factor receptor kinase 112: 469
  vessel endothelium junction integrin 112: 479
Bradykinin
  actin gelsolin complex phosphoinositide 112: 1151
Brain
  microglial mitogen development injury 112: 323
Bravo
  neurals protein chick retinotectal correction 112: 1049
Brefeldin
  A Golgi guanine nucleotide 112: 579
  A Golgi morphol forskolin 112: 567
Bullfrog
  hair bundle protein 112: 625
Bunyavirus
  glycoprotein heterodimerization intracellular transport 112: 257
Calcium
  binding protein photoreceptor 112: 981
  cytosol neutrophil adhesion receptor integrin 112: 1249
  cytosol neutrophil fibronectin vitronectin attachment 112: 149
  epitope LFA1 antigen lymphocyte adhesion 112: 345
  oscillation Xenopus embryo division 112: 711
  transport membrane Dictyostelium 112: 103
cAMP
  Schwann cell differentiation development 112: 457
Cancer
  assocd retinopathy autoantibody photoreceptor 112: 981
Cation
  divalent integrin VLA3 receptor activity 112: 39
CD44
  glycoprotein identity hyaluronate receptor correction 112: 515
Cell
  adhesion endothelial thrombin 112: 335
  adhesion mol neuron glia glycoprotein 112: 1017
  attachment site thrombospondin 112: 1031
  cycle centrophilin microtubule nucleation 112: 427
  cycle nuclear dot protein 112: 785
  cycle protein centromere kinetochore 112: 1083
  cytoplasm aq domain viscosity 112: 719
  differentiation retinoate CRABP I 112: 965
  nucleus disassembly p34cdc2 cyclin 112: 523
  nucleus membrane DNA replication timing 112: 557
  surface component Nanovid microscopy dynamics 112: 111
Centrifugation
  density gradient organelle 112: 1133
Centromere
  chromatin structure Schizosaccharomyces 112: 191
  protein cell cycle 112: 1083
Centrophilin
  microtubule nucleation cell cycle 112: 427
Chicken
  gene sequence Ng CAM glycoprotein 112: 1017
  nonmuscle myosin mRNA 112: 915
Chlamydomonas
  flagella dynein 112: 701
  flagella dynein mutant 112: 441
Chloroplast
  membrane protein insertion soly 112: 603
Cholesterol
  Semliki Forest virus infection 112: 615
Cholinergic
  receptor subunit assembly 112: 1007
Chondrocyte
  extracellular matrix embryo culture 112: 501
Chromatin
  annulate lamellae Xenopus egg ext 112: 1073
  structure centromere Schizosaccharomyces 112: 191
Chromosome
  particle movement microtubule depolymn 112: 1165
Class
  I antigen biogenesis protein 112: 1099
Clathrin
  heavy chain sequence function Saccharomyces 112: 65
Coated
  endocytic vesicle organelle purifn 112: 1133
Collagen
  integrin VLA3 receptor regulation 112: 39
  laminin fibronectin binding integrin VLA3 112: 169
Contraction
  granule microfilament platelet 112: 903
Correction
  Bravo neurals protein chick retinotectal 112: 1049
  hyaluronate receptor identity CD44 glycoprotein 112: 515
CRABP
  I retinoate cell differentiation 112: 965
Creatine
  kinase structure electron microscopy mitochondria 112: 95
Crosslinking
  protein actin filament hair cell 112: 641
Culture
  chondrocyte embryo extracellular matrix 112: 501
Cyclin
  p34cdc2 lamin phosphorylation oocyte 112: 523
Cytochrome
  oxidase subunit precursor import mitochondria 112: 833
Cytoplasm
  beta actin mRNA pericyte injury 112: 653
  cell aq domain viscosity 112: 719
  domain sequence transferrin receptor internalization 112: 853
Cytoskeleton
  ankyrin fodrin eye ATPase 112: 863
  epithelium integrin 112: 761
  filament motility ATPase ATP analog 112: 1189
  protein EGF phosphoinositide 112: 1151
  structure platelet 112: 407
Cytosol
  calcium neutrophil adhesion receptor integrin 112: 1249
  calcium neutrophil fibronectin vitronectin attachment 112: 149
  factor ETF 1 vesicle transport 112: 823
Density
  gradient centrifugation organelle 112: 1133
Dephosphorylation
  acid hydrolase lysosome serum 112: 81
Depolymn
  microtubule chromosome particle movement 112: 1165
Development
  brain microglial mitogen 112: 323
  cAMP Schwann cell differentiation 112: 457
  DNA topoisomerase II Drosophila 112: 203
  erythrocyte syncolin microtubule bundling 112: 689
  muscle transverse tubule triad 112: 289
  nerve GAP 43 phosphorylation 112: 991
  nerve growth factor receptor mRNA 112: 303
  NOF receptor retina 112: 313
  protein p30 Schwann cell 112: 1229
  tissue protein tyrosine kinase 112: 955
Dictyostelium
  calcium transport membrane 112: 103
  myosin domain disassembly 112: 677
Differentiation
  cell retinoate CRABP I 112: 965
  continuous regulation 112: 781

Diffusion
lateral cell surface component 112: 111
Dihydropyridine
ryanodine receptor muscle development 112: 289
Divalent
cation integrin VLA3 receptor activity 112: 39
Division
Xenopus embryo calcium oscillation 112: 711
DNA
fragmentation apoptosis ATP 112: 279
replication timing cell nucleus membrane 112: 557
topoisomerase II development Drosophila 112: 203
Domain
plasma membrane 112: 1143
Drosophila
DNA topoisomerase II development 112: 203
yolk protein fat body 112: 727
Dynein
flagella Chlamydomonas 112: 701
flagella mutant Chlamydomonas 112: 441
motility ATPase ATP analog 112: 1189
Dystrophin
glycoprotein complex muscle sarcolemma 112: 135
EGF
actin gelsolin complex phosphoinositide 112: 1151
receptor complex recycling 112: 55
Egg
ext Xenopus chromatin annulate lamellae 112: 1073
vesicle nuclear envelope Xenopus 112: 545
Xenopus taxol aster mitotic ext 112: 1177
Electron
microscopy mitochondria creatine kinase structure 112: 95
microscopy patch clamp membrane ultrastructure 112: 125
microscopy U4 U6 snRNP 112: 1065
Elongation
factor sequence 42Sp48 protein Xenopus 112: 237
Embryo
chondrocyte extracellular matrix culture 112: 501
neurite outgrowth axon axonin 112: 449
protein mRNA binding 112: 1
Xenopus division calcium oscillation 112: 711
Embryogenesis
tenascin isoform mRNA expression 112: 355
Endocytic
coated vesicle organelle purifn 112: 1133
Endoplasmic
reticulum protein integration translation 112: 809
Endosome
Golgi protein transport cytosol factor 112: 823
Endothelial
cell adhesion thrombin 112: 335
Endothelium
blood vessel junction integrin 112: 479
GMP140 oxygen radical neutrophil adhesion 112: 749
Epithelium
basement membrane cytoskeleton integrin 112: 761
protein apical membrane targeting 112: 365
Erythrocyte
lipid high density lipoprotein Plasmodium 112: 267
syncolin microtubule bundling development 112: 689
ETF
1 cytosol factor vesicle transport 112: 823
Ethylmaleimide
sensitive cytosol factor vesicular transport 112: 823
Extracellular
matrix chondrocyte embryo culture 112: 501
Eye
cytoskeleton ankyrin fodrin ATPase 112: 863
retina protein kinase C 112: 1241
F
actin response rat leukemia cell 112: 1157
Fat
body yolk protein Drosophila 112: 727
Fern
plasmodesma structure protein 112: 739
Fibrillary
glial acid protein astrocyte neuron 112: 1205
Fibroblast
motility oncogene hyaluronate binding protein 112: 1041
Fibronectin
attachment neutrophil cytosol calcium 112: 149
collagen laminin binding integrin VLA3 112: 169
integrin VLA3 receptor regulation 112: 39
Filament
actin attachment cytoskeleton platelet 112: 407
actin protein hair cell 112: 641
motility ATPase cytoskeleton ATP analog 112: 1189
Flagella
dynein Chlamydomonas 112: 701
dynein mutant Chlamydomonas 112: 441
Flux
microtubule mitotic spindle 112: 941
Fodrin
cytoskeleton eye ATPase 112: 863
Forskolin
Golgi morphol brefeldin A 112: 567
Fractionation
cell RNA nucleus 112: 1055
GAP
43 phosphorylation nerve development 112: 991
Gelsolin
actin complex EGF phosphoinositide 112: 1151
Gene
expression chondrocyte embryo culture 112: 501
myc mRNA expression kidney differentiation 112: 13
ras fibroblast locomotion hyaluronate binding 112: 1041
retinoate CRABP I development 112: 965
sequence clathrin heavy chain yeast 112: 65
sequence Ng CAM glycoprotein chicken 112: 1017
sequence 42Sp48 protein Xenopus 112: 237
vKras neoplastic transformation MDCK cell 112: 873
GFAP
antisense mRNA astrocyte process neuron 112: 1205
Gizzard
NOF receptor protein 112: 313
Glial
fibrillary acid protein astrocyte neuron 112: 1205
Glycolysis
hexokinase assocn mitochondria 112: 385
Glycoprotein
bunyavirus heterodimerization intracellular transport 112: 257
CD44 identity hyaluronate receptor correction 112: 515
dystrophin complex muscle sarcolemma 112: 135
formation Golgi app plant 112: 589
marker prelysosome membrane 112: 245
Ng CAM sequence 112: 1017
receptor protein GMP140 neutrophil 112: 491
Glycosaminoglycan
pituitary cell secretory mutant 112: 843
Glycosyl
phosphatidylinositol anchor Ly6AE lymphocyte activation 112: 377
GMP140
endothelium oxygen radical neutrophil adhesion 112: 749
protein glycoprotein receptor neutrophil 112: 491
Golgi
app plant glycoprotein polysaccharide 112: 589
brefeldin A guanine nucleotide 112: 579
endosome protein transport cytosol factor 112: 823
morphol brefeldin A forskolin 112: 567
protein transport processing Saccharomyces 112: 27
Granule
microfilament contraction platelet 112: 903
Guanine
nucleotide Golgi brefeldin A 112: 579
Hair
bundle bullfrog protein 112: 625
cell actin filament protein 112: 641
Hemidesmosome
formation rat bladder cell line 112: 159
Heterodimerization
glycoprotein bunyavirus intracellular transport 112: 257
Hexokinase
assocn mitochondria glycolysis 112: 385
High
density lipoprotein lipid Plasmodium erythrocyte 112: 267
Hyaluronate
binding protein fibroblast motility oncogene 112: 1041
receptor identity CD44 glycoprotein correction 112: 515
Hybridization
in situ RNA nucleus 112: 1055
Hydrolase
acid dephosphorylation lysosome serum 112: 81
Import
mitochondria cytochrome oxidase subunit precursor 112: 833
In
situ hybridization RNA nucleus 112: 1055
Infection
Semliki Forest virus cholesterol 112: 615
Injury
brain microglial mitogen 112: 323
Inositol
phospholipid anchor protein 112: 1143
Integrin
blood vessel endothelium junction 112: 479
calcium cytosol neutrophil 112: 1249
epithelium basement membrane cytoskeleton 112: 761
VLA3 receptor fibronectin collagen laminin 112: 39
VLA3 receptor function 112: 169
Internalization
transferrin receptor cytoplasm domain sequence 112: 853
Isoform
tenascin sequence mRNA expression embryogenesis 112: 355
Junction
blood vessel endothelium integrin 112: 479
Kidney
differentiation gene myc mRNA expression 112: 13
Kinase
C protein rat leukemia cell 112: 1157
creatine structure electron microscopy mitochondria 112: 95
lamin protein p34cdc2 yeast 112: 797
protein C retina 112: 1241
protein tyrosine tissue development 112: 955
receptor platelet growth factor 112: 469
Kinesin
motility ATPase ATP analog 112: 1189
Kinetochore
protein cell cycle 112: 1083
Lamin
kinase protein p34cdc2 yeast 112: 797
phosphorylation p34cdc2 cyclin oocyte 112: 523
Laminin
fibronectin collagen binding integrin VLA3 112: 169
integrin VLA3 receptor regulation 112: 39
Lateral
diffusion cell surface component 112: 111
Leukemia
cell rat protein kinase C 112: 1157
LFA1
antigen calcium epitope lymphocyte adhesion 112: 345
Lipid
high density lipoprotein Plasmodium erythrocyte 112: 267
Lipoprotein
high density Plasmodium erythrocyte lipid 112: 267
Liver
membrane actin binding 112: 891
Lymphocyte
activation glycosyl phosphatidylinositol anchor Ly6AE 112: 377
adhesion LFA1 antigen calcium epitope 112: 345
Lysosome
acid hydrolase dephosphorylation serum 112: 81
pre membrane glycoprotein marker 112: 245
Ly6AE
glycosyl phosphatidylinositol anchor lymphocyte activation 112: 377
MDCK
cell gene vKras neoplastic transformation 112: 873

Membrane
actin binding liver 112: 891
apical polarity ATPase retina 112: 863
apical targeting protein epithelium 112: 365
cell nucleus DNA replication timing 112: 557
patch clamp ultrastructure electron microscopy 112: 125
plasma domain 112: 1143
plasma Sec15p protein assocn 112: 1117
prelysosome glycoprotein marker 112: 245
protein insertion soly chloroplast 112: 603
Meromyosin
motility ATPase ATP analog 112: 1189
MHC
domain plasma membrane 112: 1143
Microfilament
platelet contraction granule 112: 903
Microfluorometry
picosecond polarization cytoplasm 112: 719
Microglial
mitogen brain development injury 112: 323
Microscopy
Nanovid cell surface component dynamics 112: 111
Microtubule
bundling syncolin erythrocyte development 112: 689
depolymn chromosome particle movement 112: 1165
flux mitotic spindle 112: 941
nucleation centrophilin cell cycle 112: 427
Mitochondria
creatine kinase structure electron microscopy 112: 95
cytochrome oxidase subunit precursor import 112: 833
hexokinase assocn glycolysis 112: 385
Mitogen
microglial brain development injury 112: 323
Mitotic
spindle assembly pathway 112: 925
spindle microtubule flux 112: 941
Motility
ATPase cytoskeleton filament ATP analog 112: 1189
mRNA
antisense GFAP astrocyte process neuron 112: 1205
beta actin cytoplasm pericyte injury 112: 653
binding protein oocyte embryo 112: 1
expression tenascin isoform embryogenesis 112: 355
gene myc expression kidney differentiation 112: 13
nerve growth factor receptor development 112: 303
nonmuscle myosin chicken 112: 915
Muscle
sarcolemma dystrophin glycoprotein complex 112: 135
transverse tubule triad development 112: 289
Muscular
dystrophy muscle dystrophin glycoprotein complex 112: 135
Myc
gene mRNA expression kidney differentiation 112: 13
Myosin
domain disassembly Dictyostelium 112: 677
nonmuscle mRNA chicken 112: 915
Nanovid
microscopy cell surface component dynamics 112: 111
NDP55
protein nucleus cell cycle 112: 785
Neoplastic
transformation gene vKras MDCK cell 112: 873
Nerve
GAP 43 phosphorylation development 112: 991
growth cone plasmalemmal expansion 112: 1215
growth factor receptor mRNA development 112: 303
outgrowth embryo axon axonin 112: 449
protein p30 development 112: 1229
retina protein kinase C 112: 1241
Neurite
outgrowth embryo axon axonin 112: 449
outgrowth factor binding protein 112: 313
Neuron
antisense mRNA GFAP astrocyte process 112: 1205
glia cell adhesion mol glycoprotein 112: 1017
Neutrophil
adhesion oxygen radical GMP140 endothelium 112: 749
calcium cytosol adhesion receptor integrin 112: 1249
cytosol calcium fibronectin vitronectin attachment 112: 149
protein GMP140 glycoprotein receptor 112: 491
Ng
CAM glycoprotein sequence 112: 1017
Nonmuscle
myosin mRNA chicken 112: 915
Nuclear
dot protein cell cycle 112: 785
envelope vesicle egg Xenopus 112: 545
Nucleotide
guanine Golgi brefeldin A 112: 579
organelle transport Reticulomyxa 112: 1199
Nucleus
cell membrane DNA replication timing 112: 557
NDP55 protein cell cycle 112: 785
ribonucleoprotein transport pathway 112: 215
RNA in situ hybridization 112: 1055
Oncogene
fibroblast motility hyaluronate binding protein 112: 1041
Onoclea
plasmodesma structure protein 112: 739
Oocyte
lamin phosphorylation p34cdc2 cyclin 112: 523
protein mRNA binding 112: 1
Organelle
coated endocytic vesicle purifn 112: 1133
transport nucleotide Reticulomyxa 112: 1199
Oxidase
cytochrome subunit precursor import mitochondria 112: 833
Oxygen
radical GMP140 endothelium neutrophil adhesion 112: 749
Particle
chromosome movement microtubule depolymn 112: 1165
Patch
clamp membrane ultrastructure electron microscopy 112: 125
Peptide
arginylglycylaspartate integrin VLA3 receptor activity 112: 39
Pericyte
cytoplasm beta actin mRNA injury 112: 653
Phosphoinositide
EGF actin gelsolin complex 112: 1151
Phospholipid
inositol anchor protein 112: 1143
Phosphorylation
GAP 43 nerve development 112: 991
lamin p34cdc2 cyclin oocyte 112: 523
Photoreceptor
calcium binding protein 112: 981
Picosecond
polarization microfluorometry cytoplasm 112: 719
Pituitary
cell line secretory mutant ACTH 112: 843
Plant
Golgi app glycoprotein polysaccharide 112: 589
Plasma
membrane domain 112: 1143
membrane Sec15p protein assocn 112: 1117
Plasmalemmal
expansion nerve growth cone 112: 1215
Plasmodesma
structure protein fern 112: 739
Plasmodium
high density lipoprotein erythrocyte lipid 112: 267
Platelet
cytoskeleton structure 112: 407
growth factor receptor kinase 112: 469
microfilament contraction granule 112: 903
Plectin
structure functional domain 112: 397
Polarization
picosecond microfluorometry cytoplasm 112: 719
Polysaccharide
formation Golgi app plant 112: 589
Pore
complex vesicle egg Xenopus 112: 545
Precursor
cytochrome oxidase subunit import mitochondria 112: 833
Prelysosome
membrane glycoprotein marker 112: 245
Protein
actin filament hair cell 112: 641
anchor inositol phospholipid 112: 1143
apical membrane targeting epithelium 112: 365
calcium binding photoreceptor 112: 981
CDC3 CDC12 Saccharomyces budding 112: 535
centromere kinetochore cell cycle 112: 1083
class I antigen biogenesis 112: 1099
compn muscle sarcolemma 112: 135
cytoskeleton EGF phosphoinositide 112: 1151
glial fibrillary acid astrocyte neuron 112: 1205
GMP140 glycoprotein receptor neutrophil 112: 491
hair bundle bullfrog 112: 625
hyaluronate binding fibroblast motility oncogene 112: 1041
insertion chloroplast membrane 112: 603
integration translation endoplasmic reticulum 112: 809
kinase C rat leukemia cell 112: 1157
kinase C retina 112: 1241
microtubule bundling syncolin erythrocyte 112: 689
mRNA binding oocyte embryo 112: 1
NDP55 nucleus cell cycle 112: 785
neurite outgrowth factor binding 112: 313
plasmodesma structure fern 112: 739
p30 Schwann cell development 112: 1229
p34cdc2 lamin kinase yeast 112: 797
Sec15p plasma membrane assocn 112: 1117
transport endosome Golgi cytosol factor 112: 823
transport processing Saccharomyces Golgi 112: 27
TS28 muscle development 112: 289
tyrosine kinase tissue development 112: 955
yolk fat body Drosophila 112: 727
42Sp48 sequence elongation factor Xenopus 112: 237
Purifn
coated endocytic vesicle organelle 112: 1133
P30
protein Schwann cell development 112: 1229
P34cdc2
cyclin lamin phosphorylation oocyte 112: 523
Qa2
domain plasma membrane 112: 1143
Ras
gene fibroblast locomotion hyaluronate binding 112: 1041
Rat
bladder cell line hemidesmosome formation 112: 159
leukemia cell protein kinase C 112: 1157
Receptor
acetylcholine subunit assembly 112: 1007
adhesion integrin calcium cytosol neutrophil 112: 1249
dihydropyridine ryanodine muscle development 112: 289
EGF complex recycling 112: 55
function integrin VLA3 112: 169
glycoprotein protein GMP140 neutrophil 112: 491
hyaluronate identity CD44 glycoprotein correction 112: 515
nerve growth factor mRNA development 112: 303
NOF retina development 112: 313
platelet growth factor kinase 112: 469
transferrin internalization cytoplasm domain sequence 112: 853
Replication
DNA timing cell nucleus membrane 112: 557
Reticulomyxa
nucleotide organelle transport 112: 1199
Retina
apical membrane polarity ATPase 112: 863
NOF receptor development 112: 313
protein kinase C 112: 1241

Retinoate
cell differentiation CRABP I 112: 965
Retinopathy
cancer assocd autoantibody photoreceptor 112: 981
Retrograde
transport cell surface component 112: 111
Ribonucleoprotein
particle vault structure 112: 225
transport pathway nucleus 112: 215
RNA
messenger tenascin isoform expression embryogenesis 112: 355
nucleus in situ hybridization 112: 1055
Ryanodine
dihydropyridine receptor muscle development 112: 289
Saccharomyces
budding protein CDC3 CDC12 112: 535
clathrin heavy chain sequence function 112: 65
protein transport processing Golgi 112: 27
Sarcolemma
muscle dystrophin glycoprotein complex 112: 135
Schizosaccharomyces
centromere chromatin structure 112: 191
Schwann
cell cAMP differentiation development 112: 457
cell protein p30 development 112: 1229
Secretory
granule pituitary cell secretory mutant 112: 843
mutant pituitary cell line ACTH 112: 843
Sec15p
protein plasma membrane assocn 112: 1117
Semliki
Forest virus infection cholesterol 112: 615
Sequence
clathrin heavy chain function Saccharomyces 112: 65
cytoplasm domain transferrin receptor internalization 112: 853
Ng CAM glycoprotein 112: 1017
tenascin isoform mRNA expression embryogenesis 112: 355
42Sp48 protein elongation factor Xenopus 112: 237
Serum
acid hydrolase dephosphorylation lysosome 112: 81
Severin
functional domain actin interaction 112: 665
SnRNP
U4 U6 electron microscopy 112: 1065
Spindle
mitotic assembly pathway 112: 925
mitotic microtubule flux 112: 941
Stroma
chloroplast membrane protein soly 112: 603
Subunit
cytochrome oxidase precursor import mitochondria 112: 833
Syncolin
microtubule bundling erythrocyte development 112: 689
Taxol
aster mitotic ext Xenopus egg 112: 1177
Tenascin
sequence isoform mRNA expression embryogenesis 112: 355
Thrombin
endothelial cell adhesion 112: 335
Thrombospondin
cell attachment site 112: 1031
Thylakoid
membrane protein soly insertion 112: 603
Thymocyte
apoptosis ATP 112: 279
Thyroid
epithelium protein membrane targeting 112: 365
Tissue
protein tyrosine kinase development 112: 955
Topoisomerase
II development Drosophila 112: 203
Transferrin
receptor internalization cytoplasm domain sequence 112: 853
Transformation
neoplastic gene vKras MDCK cell 112: 873
Transport
calcium membrane Dictyostelium 112: 103
intracellular bunyavirus glycoprotein heterodimerization 112: 257
processing protein Saccharomyces Golgi 112: 27
retrograde cell surface component 112: 111
ribonucleoprotein pathway nucleus 112: 215
vesicle ETF 1 cytosol factor 112: 823
Transverse
tubule triad muscle development 112: 289
Triad
transverse tubule muscle development 112: 289
TS28
protein muscle development 112: 289
Tyrosine
protein kinase tissue development 112: 955
Uukuniemi
virus glycoprotein heterodimer transport 112: 257
Vault
ribonucleoprotein particle structure 112: 225
Vesicle
coated endocytic organelle purifn 112: 1133
nuclear envelope egg Xenopus 112: 545
transport ETF 1 cytosol factor 112: 823
Virus
Semliki Forest infection cholesterol 112: 615
Uukuniemi glycoprotein heterodimer transport 112: 257
Viscosity
aq domain cell cytoplasm 112: 719
Vitronectin
attachment neutrophil cytosol calcium 112: 149
vKras
gene neoplastic transformation MDCK cell 112: 873
VLA3
integrin receptor function 112: 169
Xenopus
egg ext chromatin annulate lamellae 112: 1073
egg taxol aster mitotic ext 112: 1177
egg vesicle nuclear envelope 112: 545
embryo division calcium oscillation 112: 711
protein 42Sp48 sequence elongation factor 112: 237
Yeast
ceil membrane Sec15p protein 112: 1117
gene sequence clathrin heavy chain 112: 65
protein p34cdc2 lamin kinase 112: 797
Yolk
protein fat body Drosophila 112: 727